



# Hunterdon County Department of Public Safety Division of Public Health Services



**Public Health**  
Prevent. Promote. Protect.

*Karen DeMarco, Health Officer*

Physical Address: 312 Route 12 County Complex, Building # 1, 2nd Floor

Mailing Address: PO Box 2900, Flemington, NJ 08822-2900

Telephone: 908-788-1351 Fax: 908-782-7510

E-Mail: health@co.hunterdon.nj.us

www.co.hunterdon.nj.us

## RISK-BASED INSPECTION REPORT

**Insp Date:** 2/1/2018      **Business ID:** 209

**Business:** ROUND VALLEY INN  
1090 RT 22W

LEBANON, NJ 08833

**Inspection:** HD000104

**Risk Type:** 2

**Phone:** 908 236 2894

**REHS:** B-101494 Lisa Bruzzio

**Reason:** Reinspection after CS

**Results:** Satisfactory

### Establishment Information

Municipality Clinton Twp      Risk Type on File 2      Risk Type Observed 2

FMC \_\_\_\_\_ Name \_\_\_\_\_ Type \_\_\_\_\_ Exp Date \_\_\_\_\_

Sewage System On Site      Water System Well      Lab \_\_\_\_\_

Reference # F-06-4.03/33      Total Coliform \_\_\_\_\_

### FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).  
INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;  
COS=Corrected On-site; R=Repeat Violation.

#### MANAGEMENT AND PERSONNEL

	IN	OUT	N.O.	N/A	COS	REPEAT
1. PIC demonstrates knowledge of food safety principles pertaining to this operation.	p	"	"	"	"	"
2. PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.	"	"	"	p	"	"
3. Ill or injured foodworkers restricted or excluded as required.	p	"	"	"	"	"

#### PREVENTING CONTAMINATION FROM HANDS

	IN	OUT	N.O.	N/A	COS	REPEAT
4. Handwashing conducted in a timely manner; prior to work, after using restroom, etc.	"	"	p	"	"	"
5. Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.	"	"	p	"	"	"
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.	p	"	"	"	"	"
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.	p	"	"	"	"	"
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.	p	"	"	"	"	"

#### FOOD SOURCE

	IN	OUT	N.O.	N/A	COS	REPEAT
9. All foods, including ice and water, from approved sources; with proper records.	p	"	"	"	"	"

## RISK-BASED INSPECTION REPORT

FOOD SOURCE	IN	OUT	N.O.	N/A	COS	REPEAT
-------------	----	-----	------	-----	-----	--------

10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction	..	..	..	p	..	..
---	----	----	----	---	----	----

11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)	..	..	p	..	..	..
---	----	----	---	----	----	----

FOOD PROTECTION FROM CONTAMINATION	IN	OUT	N.O.	N/A	COS	REPEAT
------------------------------------	----	-----	------	-----	-----	--------

12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided	p	..	..	..	..	..
--	---	----	----	----	----	----

13. Food protected from contamination	p	..	..	..	..	..
---------------------------------------	---	----	----	----	----	----

14. Food contact surfaces properly cleaned and sanitized	p	..	..	..	..	..
--	---	----	----	----	----	----

PHFs TIME/TEMPERATURE CONTROLS	IN	OUT	N.O.	N/A	COS	REPEAT
--------------------------------	----	-----	------	-----	-----	--------

15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.	..	..	p	..	..	..
--	----	----	---	----	----	----

16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.	..	..	..	p	..	..
--	----	----	----	---	----	----

17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)	p	..	..	..	..	..
--	---	----	----	----	----	----

18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.	..	..	p	..	..	..
---	----	----	---	----	----	----

19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours	..	..	p	..	..	..
--	----	----	---	----	----	----

20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.	..	..	p	..	..	..
---	----	----	---	----	----	----

21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.	..	..	p	..	..	..
--	----	----	---	----	----	----

22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.	..	..	..	p	..	..
---	----	----	----	---	----	----

23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.	..	..	..	p	..	..
---	----	----	----	---	----	----

24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	..	..	..	p	..	..
---	----	----	----	---	----	----

GOOD RETAIL PRACTICES
-----------------------

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION	OUT	COS	REPEAT
---	-----	-----	--------

25. Hot and cold water water available; adequate pressure.	..	..	..
--	----	----	----

26. Food properly labeled; original container	..	..	..
---	----	----	----

27. Food protected from potential contamination during preparation, storage, display.	..	..	..
---	----	----	----

28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.	..	..	..
---	----	----	----

29. Raw fruits and vegetables washed prior to serving.	..	..	..
--	----	----	----

30. Wiping cloths properly used and stored.	..	..	..
---	----	----	----

## RISK-BASED INSPECTION REPORT

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION	OUT	COS	REPEAT
31. Toxic substances properly identified, stored and used.	..	..	..
32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.	..	..	..
33. Personal cleanliness (fingernails, jewelry, outer clothing, hair restraint).	..	..	..
FOOD TEMPERATURE CONTROL	OUT	COS	REPEAT
34. Food temperature measuring devices provided and calibrated.	..	..	..
35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).	..	..	..
36. Frozen foods maintained completely frozen.	..	..	..
37. Frozen foods properly thawed.	..	..	..
38. Plant food for hot holding properly cooked to at least 135°F.	..	..	..
39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.	..	..	..
EQUIPMENT, UTENSILS AND LINENS	OUT	COS	REPEAT
40. Materials, construction, repair, design, capacity, location, installation, maintenance.	..	..	..
41. Equipment temperature measuring devices provided (refrigeration units, etc).	..	..	..
42. In-use utensils properly stored.	..	..	..
43. Utensils, single service items, equipment, linens properly stored, dried and handled.	..	p	..
44. Food and non-food contact surfaces properly constructed, cleanable, used.	..	..	..
45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.	..	..	..
PHYSICAL FACILITIES	OUT	COS	REPEAT
46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.	p	..	..
<i>Fail Notes</i>   5.2(d) <i>An air gap between the water supply inlet and the flood level rim of the plumbing fixture, equipment, or non-food equipment shall be at least twice the diameter of the water supply inlet and may not be less than one inch.</i> <i>[NO AIR GAP @ 3 COMPARTMENT SINK. SEE NOTES.]</i>			
47. Sewage and waste water properly disposed.	..	..	..
48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.	..	..	..
49. Design, construction, installation and maintenance proper-floors/walls/ceilings.	..	..	..
50. Adequate ventilation; lighting; designated areas used.	..	..	..
51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.	..	..	..
52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.	..	..	..

## RISK-BASED INSPECTION REPORT

### Fail Notes Summary

Fail Code	Fail Text
46. Plumbing	system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.
5.2(d)	An air gap between the water supply inlet and the flood level rim of the plumbing fixture, equipment, or non-food equipment shall be at least twice the diameter of the water supply inlet and may not be less than one inch.
Addl Notes:	<i>[NO AIR GAP @ 3 COMPARTMENT SINK. SEE NOTES.]</i>

## RISK-BASED INSPECTION REPORT

### **Footnote 1**

**Notes:**

READ ALL LABELS CAREFULLLY - LOOK FOR "SAFE FOR FOOD CONTACT SURFACES" AND/OR SPECIAL INSTRUCTIONS FOR FOOD CONTACT SURFACES.

### **Footnote 2**

**Notes:**

AIR GAP TO BE PROVIDED WITH ANY MAJOR RENNOVATION OR REPLACEMENT OF 3 COMPARTMENT SINK.