



Hunterdon County Department of Public Safety Division of Public Health Services



Public Health
Prevent. Promote. Protect.

Karen DeMarco, Health Officer

Physical Address: 312 Route 12 County Complex, Building # 1, 2nd Floor
Mailing Address: PO Box 2900, Flemington, NJ 08822-2900
Telephone: 908-788-1351 Fax: 908-782-7510
E-Mail: health@co.hunterdon.nj.us
www.co.hunterdon.nj.us

RISK-BASED INSPECTION REPORT

Insp Date: 1/26/2018	Business ID: 126	Inspection: HE000380
Business: LITTLE BROOK NURSING & CONVELECANT HOME		Risk Type: 3
SLIKER ROAD		Phone: 908-832-2220
78 SLIKER RD.		REHS: B-101494 Lisa Bruzzio
CALIFON, NJ 07830		Reason: Initial Billable
		Results: Satisfactory Gold

Establishment Information

Municipality Lebanon Twp Risk Type on File 3 Risk Type Observed 3

FMC Yes Name BRIDGET M SMITH Type ServSafe Exp Date 05/20/18

Sewage System On Site Water System Well Lab EUROFINS-HORSHAM

Reference # F-19-48/2.01 Total Coliform 01/18/18

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).
INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;
COS=Corrected On-site; R=Repeat Violation.

MANAGEMENT AND PERSONNEL

	IN	OUT	N.O.	N/A	COS	REPEAT
1. PIC demonstrates knowledge of food safety principles pertaining to this operation.	p
2. PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.	p
3. Ill or injured foodworkers restricted or excluded as required.	p

PREVENTING CONTAMINATION FROM HANDS

	IN	OUT	N.O.	N/A	COS	REPEAT
4. Handwashing conducted in a timely manner; prior to work, after using restroom, etc.	p
5. Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.	p
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.	p
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.	p
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.	p

FOOD SOURCE

	IN	OUT	N.O.	N/A	COS	REPEAT
9. All foods, including ice and water, from approved sources; with proper records.	p

RISK-BASED INSPECTION REPORT

FOOD SOURCE	IN	OUT	N.O.	N/A	COS	REPEAT
-------------	----	-----	------	-----	-----	--------

10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction	p
---	----	----	----	---	----	----

11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)	p
---	----	----	---	----	----	----

FOOD PROTECTION FROM CONTAMINATION	IN	OUT	N.O.	N/A	COS	REPEAT
------------------------------------	----	-----	------	-----	-----	--------

12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided	p
--	---	----	----	----	----	----

13. Food protected from contamination	p
---------------------------------------	---	----	----	----	----	----

14. Food contact surfaces properly cleaned and sanitized	p
--	---	----	----	----	----	----

PHFs TIME/TEMPERATURE CONTROLS	IN	OUT	N.O.	N/A	COS	REPEAT
--------------------------------	----	-----	------	-----	-----	--------

15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.	p
--	----	----	---	----	----	----

16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.	p
--	----	----	----	---	----	----

17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)	p
--	---	----	----	----	----	----

18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.	p
---	---	----	----	----	----	----

19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours	p
--	----	----	---	----	----	----

20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.	p
---	----	----	---	----	----	----

21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.	p
--	----	----	---	----	----	----

22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.	p
---	----	----	----	---	----	----

23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.	p
---	----	----	----	---	----	----

24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	p
---	---	----	----	----	----	----

GOOD RETAIL PRACTICES

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION	OUT	COS	REPEAT
---	-----	-----	--------

25. Hot and cold water water available; adequate pressure.
--	----	----	----

26. Food properly labeled; original container
---	----	----	----

27. Food protected from potential contamination during preparation, storage, display.
---	----	----	----

28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.
---	----	----	----

29. Raw fruits and vegetables washed prior to serving.
--	----	----	----

30. Wiping cloths properly used and stored.
---	----	----	----

RISK-BASED INSPECTION REPORT

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION	OUT	COS	REPEAT
31. Toxic substances properly identified, stored and used.
32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.
33. Personal cleanliness (fingernails, jewelry, outer clothing, hair restraint).
FOOD TEMPERATURE CONTROL	OUT	COS	REPEAT
34. Food temperature measuring devices provided and calibrated.
35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).
36. Frozen foods maintained completely frozen.
37. Frozen foods properly thawed.
38. Plant food for hot holding properly cooked to at least 135°F.
39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.
EQUIPMENT, UTENSILS AND LINENS	OUT	COS	REPEAT
40. Materials, construction, repair, design, capacity, location, installation, maintenance.
41. Equipment temperature measuring devices provided (refrigeration units, etc).
42. In-use utensils properly stored.
43. Utensils, single service items, equipment, linens properly stored, dried and handled.
44. Food and non-food contact surfaces properly constructed, cleanable, used.
45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.
PHYSICAL FACILITIES	OUT	COS	REPEAT
46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.
47. Sewage and waste water properly disposed.
48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.
49. Design, construction, installation and maintenance proper-floors/walls/ceilings.
50. Adequate ventilation; lighting; designated areas used.
51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.
52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.	p

RISK-BASED INSPECTION REPORT
Fail Notes Summary

Fail Code	Fail Text
52.	All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.
8.12	The operator of every retail food establishment shall post the evaluation placard of the most recent evaluation made by the health authority. The evaluation placard shall be posted immediately in a conspicuous place near the public entrance of the establishment in such a manner that the public may view the placard.
Addl Notes:	<i>[SATISFACTORY PLACARD WAS NOT POSTED IN PUBLIC VIEW.]</i>

RISK-BASED INSPECTION REPORT

Insp Date: 1/26/2018 **Business ID:** 136
Business: HUNTERDON HILLS RESIDENTIAL HOME
 486 WEST HILL ROAD
 GLEN GARDNER, NJ 08826

Inspection: HE000381
Risk Type: 3
Phone: 908-537-2717
REHS: B-101494 Lisa Bruzzio
Reason: Initial Billable
Results: Satisfactory

Establishment Information	
Municipality <u>Lebanon Twp</u>	Risk Type on File <u>3</u> Risk Type Observed <u>3</u>
FMC <u>Yes</u> Name <u>DONALD MASTROGIOVANNI</u>	Type <u>ServSafe</u> Exp Date <u>02/09/19</u>
Sewage System <u>On Site</u> Water System <u>Well</u>	Lab <u>EUROFINS-HORSHAM</u>
Reference # <u>F-19-30/38.01</u>	Total Coliform <u>12/08/17</u>

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS
--

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).
 INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;
 COS=Corrected On-site; R=Repeat Violation.

MANAGEMENT AND PERSONNEL	IN	OUT	N.O.	N/A	COS	REPEAT
1. PIC demonstrates knowledge of food safety principles pertaining to this operation.	p
2. PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.	p
3. Ill or injured foodworkers restricted or excluded as required.	p

PREVENTING CONTAMINATION FROM HANDS	IN	OUT	N.O.	N/A	COS	REPEAT
4. Handwashing conducted in a timely manner; prior to work, after using restroom, etc.	p
5. Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.	p
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.	p
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.	p

FOOD SOURCE	IN	OUT	N.O.	N/A	COS	REPEAT
9. All foods, including ice and water, from approved sources; with proper records.	p
10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction	p
11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)	p

FOOD PROTECTION FROM CONTAMINATION	IN	OUT	N.O.	N/A	COS	REPEAT
12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided	p
13. Food protected from contamination	p
14. Food contact surfaces properly cleaned and sanitized	..	p

PHFs TIME/TEMPERATURE CONTROLS	IN	OUT	N.O.	N/A	COS	REPEAT

RISK-BASED INSPECTION REPORT

PHFs TIME/TEMPERATURE CONTROLS

	IN	OUT	N.O.	N/A	COS	REPEAT
15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.	p
16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.	p
17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)	p
18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.	p
19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours	p
20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.	p
21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.	p
22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.	p
23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.	p
24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	p

GOOD RETAIL PRACTICES

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

	OUT	COS	REPEAT
25. Hot and cold water water available; adequate pressure.
26. Food properly labeled; original container
27. Food protected from potential contamination during preparation, storage, display.
28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.
29. Raw fruits and vegetables washed prior to serving.
30. Wiping cloths properly used and stored.
31. Toxic substances properly identified, stored and used.
32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.
33. Personal cleanliness (fingernails, jewelery, outer clothing, hair restraint).

FOOD TEMPERATURE CONTROL

	OUT	COS	REPEAT
34. Food temperature measuring devices provided and calibrated.
35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).
36. Frozen foods maintained completely frozen.

RISK-BASED INSPECTION REPORT

FOOD TEMPERATURE CONTROL

OUT COS REPEAT

- 37. Frozen foods properly thawed.
- 38. Plant food for hot holding properly cooked to at least 135°F.
- 39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.

EQUIPMENT, UTENSILS AND LINENS

OUT COS REPEAT

- 40. Materials, construction, repair, design, capacity, location, installation, maintenance. p
- 41. Equipment temperature measuring devices provided (refrigeration units, etc).
- 42. In-use utensils properly stored.
- 43. Utensils, single service items, equipment, linens properly stored, dried and handled.
- 44. Food and non-food contact surfaces properly constructed, cleanable, used.
- 45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.

PHYSICAL FACILITIES

OUT COS REPEAT

- 46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.
- 47. Sewage and waste water properly disposed.
- 48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned. p
- 49. Design, construction, installation and maintenance proper-floors/walls/ceilings.
- 50. Adequate ventilation; lighting; designated areas used. p
- 51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained. p
- 52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted. p

RISK-BASED INSPECTION REPORT
Fail Notes Summary

Fail Code	Fail Text
14. Food contact surfaces properly cleaned and sanitized	
4.7(a)	Equipment food-contact surfaces and utensils shall be sanitized.
Addl Notes: <i>[NO SANITIZER DETECTED WHEN TESTING DISHWASHER.]</i>	
40. Materials, construction, repair, design, capacity, location, installation, maintenance.	
4.1(a)	Materials that are used in the construction of utensils and food-contact surfaces of equipment shall not allow the migration of deleterious substances or impart colors, odors, or tastes to food and under normal use conditions shall be safe; durable, corrosion-resistant, and nonabsorbent, sufficient in weight and thickness to withstand repeated warewashing; finished to have a smooth, easily cleanable surface; and resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition.
Addl Notes: <i>[SPOON/WHISK HOOKS SHOW SIGNS OF RUSTING. WOODEN BLOCKS FOR STORING KNIVES ARE NOT ABLE TO BE BROKEN DOWN TO PROPERLY WASH & SANITIZE.]</i>	
48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.	
6.6(f)	A toilet room located on the premises shall be completely enclosed and provided with a tight-fitting and self-closing door, except that this requirement does not apply to a toilet room that is located outside a retail food establishment and does not open directly into the retail food establishment such as a toilet room that is provided by the management of a shopping mall.
Addl Notes: <i>[SELF CLOSING DEVICE MISSING ON BATHROOM DOOR.]</i>	
6.6(k)	Easily cleanable receptacles shall be provided for waste materials, and such receptacles in toilet rooms for women shall be covered. Such receptacles shall be emptied at least once a day, and more frequently when necessary to prevent excessive accumulation of waste material.
Addl Notes: <i>[NO COVER ON TRASH CAN IN BATHROOM.]</i>	
50. Adequate ventilation; lighting; designated areas used.	
6.3(a)	Lighting intensity shall be: <ul style="list-style-type: none"> 1. At least 110 lux (10 foot candles) at a distance of 30 inches above the floor, in walk-in refrigeration units and dry food storage areas and in other areas and rooms during periods of cleaning; 2. At least 220 lux (20 foot candles): <ul style="list-style-type: none"> i. At a surface where food is provided for consumer self-service such as buffets and salad bars or where fresh produce or packaged foods are sold or offered for consumption; ii. Inside equipment such as reach-in and under-counter refrigerators; and iii. At a distance of 30 inches above the floor in areas used for handwashing, warewashing, and equipment and utensil storage, and in toilet rooms; and 3. At least 540 lux (50 foot candles) at a surface where a food employee is working with food or working with utensils or equipment such as knives, slicers, grinders, or saws, where employee safety is a factor.
Addl Notes: <i>[2 OVERHEAD LIGHT FIXTURES OUT IN KITCHEN.]</i>	
6.2(i)	Requirements for protective shielding to light bulbs shall include the following: <ul style="list-style-type: none"> 1. Light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed food; clean equipment, utensils, and linens; or unwrapped single-service and single-use articles, except as specified in (i)2 below. 2. Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing food in unopened packages, if: <ul style="list-style-type: none"> i. The integrity of the packages cannot be affected by broken glass falling onto them; and ii. The packages are capable of being cleaned of debris from broken bulbs before the packages are opened. 3. An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

RISK-BASED INSPECTION REPORT

Fail Code	Fail Text
Addl Notes: <i>[PROTECTIVE LIGHT SHIELD MISSING ON ONE OVERHEAD LIGHT FIXTURE IN KITCHEN.]</i>	
51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.	
5.5(o)	A storage area and enclosure for refuse, recyclables, or returnables shall be maintained free of unnecessary items, as specified under N.J.A.C. 8:24-6.5(j), and shall be clean.
Addl Notes: <i>[UNNECESSARY ITEMS STORED ON GROUND SURROUNDING DUMPSTER (TV'S, OLD DOOR, OLD COMPUTERS, TOILET BOWL & LITTER)]</i>	
5.5(d)	Receptacles and waste handling units for refuse, recyclables, and returnables and for use with materials containing food residue shall be durable, cleanable, insect-resistant, rodent-resistant, leakproof, and nonabsorbent, except that plastic bags and wet strength paper bags may be used to line receptacles for storage inside the retail food establishment, or within closed outside receptacles.
Addl Notes: <i>[BOTH DUMPSTERS ARE UNCOVERED)]</i>	
52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.	
8.12	The operator of every retail food establishment shall post the evaluation placard of the most recent evaluation made by the health authority. The evaluation placard shall be posted immediately in a conspicuous place near the public entrance of the establishment in such a manner that the public may view the placard.
Addl Notes: <i>[SATISFACTORY PLACARD NOT POSTED CONSPICUOUSLY IN PUBLIC VIEW.]</i>	

RISK-BASED INSPECTION REPORT

Footnote 1

Notes:

MADHAVI DEVASTHALE IS ALSO SERVSAFE CERTIFIED. EXP. DATE 12/13/21

RISK-BASED INSPECTION REPORT

Insp Date: 1/26/2018 **Business ID:** 127
Business: NEWTON'S GUEST HOME
 19 SPRUCE RUN RD.
 P O BOX 218
 GLEN GARDNER, NJ 08826

Inspection: HE000382
Risk Type: 2
Phone: 908-537-4113
REHS: B-101494 Lisa Bruzzio
Reason: Initial Billable
Results: Satisfactory

Establishment Information	
Municipality <u>Lebanon Twp</u>	Risk Type on File <u>2</u> Risk Type Observed <u>2</u>
FMC <u>N/A</u> Name _____	Type _____ Exp Date _____
Sewage System <u>On Site</u> Water System <u>Well</u>	Lab <u>GARDEN STATE LABORATORIES</u>
Reference # <u>F-19-34/10</u>	Total Coliform <u>10/19/17</u>

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).
 INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;
 COS=Corrected On-site; R=Repeat Violation.

MANAGEMENT AND PERSONNEL	IN	OUT	N.O.	N/A	COS	REPEAT
1. PIC demonstrates knowledge of food safety principles pertaining to this operation.	p
2. PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.	p
3. Ill or injured foodworkers restricted or excluded as required.	p

PREVENTING CONTAMINATION FROM HANDS	IN	OUT	N.O.	N/A	COS	REPEAT
4. Handwashing conducted in a timely manner; prior to work, after using restroom, etc.	p
5. Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.	p
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.	p
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.	p
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.	p

FOOD SOURCE	IN	OUT	N.O.	N/A	COS	REPEAT
9. All foods, including ice and water, from approved sources; with proper records.	p
10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction	p
11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)	p

FOOD PROTECTION FROM CONTAMINATION	IN	OUT	N.O.	N/A	COS	REPEAT
12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided	p
13. Food protected from contamination	p
14. Food contact surfaces properly cleaned and sanitized	..	p

PHFs TIME/TEMPERATURE CONTROLS	IN	OUT	N.O.	N/A	COS	REPEAT

RISK-BASED INSPECTION REPORT

PHFs TIME/TEMPERATURE CONTROLS

	IN	OUT	N.O.	N/A	COS	REPEAT
15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.	p
16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.	p
17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)	p
18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.	p
19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours	p
20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.	p
21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.	p
22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.	p
23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.	p
24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	p

GOOD RETAIL PRACTICES

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

	OUT	COS	REPEAT
25. Hot and cold water water available; adequate pressure.
26. Food properly labeled; original container
27. Food protected from potential contamination during preparation, storage, display.
28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.
29. Raw fruits and vegetables washed prior to serving.
30. Wiping cloths properly used and stored.
31. Toxic substances properly identified, stored and used.
32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.
33. Personal cleanliness (fingernails, jewelery, outer clothing, hair restraint).

FOOD TEMPERATURE CONTROL

	OUT	COS	REPEAT
34. Food temperature measuring devices provided and calibrated.
35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).
36. Frozen foods maintained completely frozen.

RISK-BASED INSPECTION REPORT

FOOD TEMPERATURE CONTROL

OUT COS REPEAT

- 37. Frozen foods properly thawed.
- 38. Plant food for hot holding properly cooked to at least 135°F.
- 39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.

EQUIPMENT, UTENSILS AND LINENS

OUT COS REPEAT

- 40. Materials, construction, repair, design, capacity, location, installation, maintenance. p
- 41. Equipment temperature measuring devices provided (refrigeration units, etc).
- 42. In-use utensils properly stored.
- 43. Utensils, single service items, equipment, linens properly stored, dried and handled.
- 44. Food and non-food contact surfaces properly constructed, cleanable, used.
- 45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used. p

PHYSICAL FACILITIES

OUT COS REPEAT

- 46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.
- 47. Sewage and waste water properly disposed.
- 48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.
- 49. Design, construction, installation and maintenance proper-floors/walls/ceilings.
- 50. Adequate ventilation; lighting; designated areas used. p
- 51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.
- 52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.

RISK-BASED INSPECTION REPORT
Fail Notes Summary

Fail Code	Fail Text
14.	Food contact surfaces properly cleaned and sanitized
4.7(a)	Equipment food-contact surfaces and utensils shall be sanitized.
Addl Notes:	<i>[TOO MUCH CHLORINE BLEACH (>200PPM) BEING USED IN SANITIZING SPRAY BOTTLE.]</i>
40.	Materials, construction, repair, design, capacity, location, installation, maintenance.
4.5(a)	Equipment and equipment components shall be maintained in a state of repair and condition that meets the requirements specified under N.J.A.C. 8:24-4.1 and 4.2.
Addl Notes:	<i>[HOT WATER DISHWASHER IS NOT REACHING PROPER TEMPERATURES (LESS THAN 160°F).]</i>
45.	Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.
4.8(k)	A test kit or other device that accurately measures the concentration in mg/L of sanitizing solutions shall be provided.
Addl Notes:	<i>[CHLORINE TEST STRIPS NOT PROVIDED.]</i>
50.	Adequate ventilation; lighting; designated areas used.
6.2(i)	Requirements for protective shielding to light bulbs shall include the following: <ul style="list-style-type: none"> 1. Light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed food; clean equipment, utensils, and linens; or unwrapped single-service and single-use articles, except as specified in (i)2 below. 2. Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing food in unopened packages, if: <ul style="list-style-type: none"> i. The integrity of the packages cannot be affected by broken glass falling onto them; and ii. The packages are capable of being cleaned of debris from broken bulbs before the packages are opened. 3. An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.
Addl Notes:	<i>[LIGHT SHIELD MISSING OVER LIGHT BULB INSIDE WHIRLPOOL REFRIGERATOR.]</i>

RISK-BASED INSPECTION REPORT

Footnote 1

Notes:

NOTE: ALTHOUGH THE DISWASHER IS NOT REACHING PROPER TEMPERATURES, THEY ARE ADDING A SATISFACTORY AMOUNT OF CHLORINE BLEACH TO RINSE CYCLE. TO PROPERLY SANITIZE.